


Accessories Catalog Heating solutions

For Cars, Trucks, Light-duty Vehicles, Special Vehicles, Rail and Recreational Vehicles



2016/2017



Dear Customers, dear Webasto Partners,

this Webasto catalog will give you an overview of the complete range of accessories for our current heating systems. On the following pages, you will find everything that you need for installing our heating systems, according to the type of vehicle, location and use. The mounting parts, test equipment and tools shown here are clearly laid out to enable you to find and order what you need quickly.

Together with the second accessory catalog for air-conditioning solutions and the product catalogue (showing the basic scope of delivery, installation kits and control units), this catalog will provide a comprehensive source of information so that you can work efficiently with our heating and cooling units.

We wish you great success with our products,
Your Webasto Team

Table of Contents

Combustion Air System	8
Exhaust System	9
Fuel System	13
Hot Air System	19
Water System	26
Mounting Parts	32
Electrical Accessories	37
Test Equipment	43
Special Tools	44

Combustion Air System

Exhaust System

Fuel System

Hot Air System

Water System

Mounting Parts

Electrical Accessories

Test Equipment


Special Tools

Application of an air heating system

Webasto air heating systems can be ordered in diverse scopes of delivery. The standard components are combined into a basic scopes of delivery and an installation kit. You may need additional application material, depending on the requirements for use and the installation location. You can find these in our extensive accessories program.

Our heating devices come with installation and operating instructions. For further information (e.g. spare parts lists), go to our dealer portal.

For information on our air heaters, see the separate product catalog entitled Heating and Air-Conditioning Solutions.



- Advantages of air heating systems**
- Low procurement and installation costs
 - No intervention in the original vehicle system
 - Short heating times
 - Individual configuration of the air distribution
 - Circulating air or fresh air mode

Application of a water heating system

Webasto water heating systems can be ordered in diverse scopes of delivery. The standard components are combined into a basic scopes of delivery and an installation kit. You may need additional application material, depending on the desired application and the installation location. You can find these in our extensive accessories program.

Our heating devices come with installation and operating instructions. For further information (e.g. spare parts lists) go to our dealer portal.

For information on our water heaters, see the separate product catalog entitled Heating and Air-Conditioning Solutions.




Control element
Choose from our portfolio of different control elements, such as a simple switch, the Thermo Call or a remote control.

Integration into the water circuit

Depending on the vehicle type, choose the required application material such as hoses, valves or thermostats from the standard installation kit or our accessories portfolio.



Electrical connection
A standardized wiring harness simplifies the connection of heater, control element and vehicle. It also offers a diagnostic possibility.



Coolant pump
Choose the required coolant pump from our range of accessories. For the Thermo Pro 50 Eco, Thermo Pro 90 and Thermo Top Evo heaters, a standard pump is included in the basic scopes of delivery.



Exhaust system
The resulting exhaust gases have to be discharged via exhaust pipes.



Water heater
Heaters are available with heating capacities from 4 to 40 kW.










Fuel supply
A connection has to be made to the fuel tank. A fuel pump forms part of the basic scopes of delivery.

Combustion air intake
The required combustion air has to be drawn in selectively from a dry area.







Advantages of water heating systems

- Engine preheating and/or cabin heating
- Longer service life of the engine thanks to reduction in cold starts
- Continued use of existing vehicle components
- Use of the engine heat to bridge short standstill times without exhaust emissions








Combustion Air System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Flexible pipe									
Di = 18, L = 1,000, APGA-A				■	■					1319593A
Di = 22, L = 20,000, PAK	■									1321565A
Di = 22, L = 10,000, PAK	■									1321566A
Di = 25, L = 20,000, PAK		■								1321586A
Di = 25, L = 5,000, PAK		■								1321587A
Di = 25, L = 10,000, PAK		■								1321588A
Di = 30, L = 20,000, PAK						■				1321542A
Di = 30, L = 5,000, PAK						■				1321557A
Di = 30, L = 10,000, PAK						■				1321558A
Di = 30, L = 20,000, KAK						■				1321509A
Di = 30, L = 5,000, KAK						■				1321510A
	Intake muffler									
Da = 52, L = 97, with mounting base and installation instructions	■		■							98141A
	Intake muffler pipe									
Di = 22, L = 800, PAK, without penetration protection cap	■									83174A
Di = 25, L = 650, AK / PAKL, with penetration protection cap		■								1319924A
Di = 30, L = 1,160, PAK / PAKL, without penetration protection cap						■				1319607A
	Flexible exhaust pipe									
L = 3,000										1321494A
L = 5,000										1321495A
L = 10,000										1321496A
L = 20,000										1321493A
Di = 30, Da = 34, stainless steel										
	Air intake silencer									
D1a = 24, D2a = 52, L = 138, 138, plastic, complete with 300 mm flexible pipe, D1a = 24 mm		■								9025956A
	Protection cap									
Di = 27, 10 pieces		■								1320257A
Di = 36			■							1321067A
Di = 39, 10 pieces						■				1320258A
Plastic										
	Combustion air elbow									
Di = 22		■								1320144A
Di = 25			■							1320278A
Plastic										








Exhaust System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Flexible exhaust pipe, two-ply									
Di = 22, Da = 26, L = 1,000 with end cap	■		■	■	■					1322414A
Di = 24, Da = 28, L = 10,000		■								1321523A
Di = 38, Da = 41, L = 5,000						■	■			1321540A
Di = 38, Da = 41, L = 10,000						■	■			1321541A
Di = 38, Da = 41, L = 20,000						■	■			1321539A
Di = 70, Da = 73.6, L = 5,000								■	■	1321568A
Di = 70, Da = 73.6, L = 10,000								■	■	1321567A
Stainless steel										
	Protection cap									
Di = 26		■				■				1320109A
Di = 28			■							1320217A
Di = 42, 10 pieces							■	■		1321753A
L = 17, stainless steel, for flexible exhaust pipe										
	Heat protection hose									
L = 1,850	■	■	■	■	■	■	■	■	■	1320830A
Di = 70, Fiberglass										
	Flexible heat protection pipe									
Di = 28, Da = 32.5, GA-A (aluminium foil and aluminium coated glass fabric)	■		■	■	■					1321601A
Di = 45, Da = 48.5, GA2-A (aluminium and aluminium coated glass fabric)	■	■	■	■	■	■	■	■	■	1321602C
L = 10,000										
	Flexible heat protection pipe									
Di = 28, Da = 38, L = 324, with cover, non-flammable, interior resistant to temperatures up to 500 °C	■		■	■	■					1319670A
	Insulating tape									
L = 50,000, W = 60, E-glass, white, usage temperature 450 °C, 550 °C for short periods, 2 mm thick	■	■	■	■	■	■	■	■	■	1320357A



Exhaust System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
 Exhaust muffler Da = 22, L = 179, W = 45, stainless steel	■	■	■	■						1320910A
 Exhaust muffler Di = 38, L = 1,000, outside with partial fiberglass insulation							■			1321823A
 Exhaust muffler Da = 22, steel, zinc powder paint surface protection for temperatures up to 650 °C Da = 22, stainless steel Da = 24, steel, zinc powder paint surface protection for temperatures up to 650 °C L = 170, W = 85, H = 45	■	■	■	■						1320841A 1320895A 1320372A
 Exhaust muffler Da = 38, L = 206, W = 57, steel, zinc powder paint surface protection for temperatures up to 600 °C							■	■		1320840A
 Insulating sleeve L = 120, W = 108, glass fabric, for exhaust mufflers 1320841A and 1320895A	■	■	■	■	■					1320848A
 Exhaust muffler Da = 38, L = 270, W = 130, stainless steel	■	■	■	■						1321397A
 Exhaust deflector							■	■		1320436A







Exhaust System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
 Hot air elbow Di = 71, Da = 67, L = 170, W = 85, 90°, painted								■	■	1319441A
 Exhaust elbow Di = 24, Da = 24, L = 110, stainless steel, with condensate drain		■								1320378A
 Exhaust elbow Di = 24, Da = 24, L = 110, stainless steel, without condensate drain		■								1320383A
 Exhaust elbow Di = 22, Da = 22, L = 65, aluminium, without condensate drain	■									1320117A
 Exhaust connecting pipe Da = 24, L = 50, M6, stainless steel, without condensate drain Da = 24, L = 65, steel, with anti-corrosion protection and condensate drain Da = 38, L = 65, stainless steel, for exhaust mufflers 1320841A and 1320895A, with condensate drain		■	■					■		1319937A 1319935A 1320959A
 Exhaust pipe reducer sleeve Di = 22, Da = 24, L = 40, stainless steel		■								1320382A
 Condensate drain L = 128, M10 x 1 connection thread, copper, for exhaust connecting pipe 1319935A, with mounting parts	■	■	■	■	■	■				92621A








Exhaust System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
 <p>Spacer Di = 25, Da = 48, W = 21, for flexible pipe</p>	■	■	■	■						1317843A
 <p>End fixing kit for 24 mm flexible exhaust pipe, for fastening the exhaust end piece to the bottom of the vehicle</p>		■								1317567A







Fuel System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
 <p>Fuel tank L = 405, W = 94, plastic PE-LD, 12 liters</p>	■	■	■	■	■	■				1322707A
<p>Fuel tank installation kit Steel zinc coated, for 12-liter tank 9024224B</p>	■	■	■	■	■	■				9025761A
 <p>Fuel tank L = 405, W = 200, 24 l, plastic PE-LD, with assembly kit</p>	■	■	■	■	■	■				1322531A
 <p>Tank extracting device, riser pipe Di = 2.6, Da = 5, L = 650, steel zinc coated, 90° extractor connection piece, only for installation in metal tanks</p>	■	■	■	■	■	■				1320399A
 <p>Tank extracting device, riser pipe Da = 6, L = 630, galvanized steel, with return, 90° extractor connection piece, only for installation in metal tanks</p>							■	■	■	1322830B
 <p>Tank extracting device, riser pipe Di = 2.4, Da = 4.2, L = 440, thread M6, stainless steel, extractor connection piece, 39 mm long, vertical, for mounting in tank fitting, suitable for plastic tank and metal tank</p>	■	■	■	■	■	■				1300494D
 <p>Tank extracting device Di = 2.4, Da = 4.2, L = 26, M6 thread, steel zinc coated, extractor connection piece angled at 90°, for mounting in tank fitting, suitable for plastic tank and metal tank, short riser pipe</p>	■	■	■	■	■	■				1322827A








Fuel System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
 <p>Tank extracting device Di = 3, Da = 5, L = 39, steel zinc coated, with mounting parts for installation in tank fittings with length compensation</p>	■	■	■	■	■	■				9008021A
 <p>Tank extracting device L = 50 L = 750 Di = 3, Da = 5, stainless steel, for fitting in tank ventilation line</p>	■	■	■	■	■	■				1320836A 1321824A
 <p>Fuel extractor, T-piece H = 26, 6 x 5 x 6 H = 28, 8 x 5 x 8 L = 50, copper</p>	■	■	■	■	■	■				1319300A 1319301B
 <p>Fuel extractor, T-piece H = 36, 6 x 5 x 6 H = 38, 8 x 5 x 8 H = 39, 10 x 5 x 10 H = 40, 12 x 5 x 12 L = 50, plastic</p>	■	■	■	■	■	■				1321002A 1320192A 1321003A 1319951A
 <p>Fuel extractor, T-piece H = 33, 5 x 5 x 5 H = 36, 6 x 5 x 6 H = 35, 8 x 5 x 8 H = 37, 10 x 5 x 10 H = 37, 12 x 5 x 12 L = 50, steel zinc coated</p>	■	■	■	■	■	■				1321996A 1320572A 1320573A 1320804A 1320805A
 <p>Fuel extractor, T-piece 15 x 6 x 15, steel zinc coated</p>	■	■	■	■	■	■				1320577A
 <p>H-shaped fuel extractor H = 28, 6 x 5 x 6 H = 28, 8 x 5 x 8 H = 28, 10 x 5 x 10 H = 39, 12 x 5 x 12 L = 50, steel zinc coated, extraction at 90° elbow</p>	■	■	■	■	■	■				1319520A 1320574A 1320806A 1321776A









Fuel System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
 <p>Holder with housing for interchangeable filter L = 135, H = 80, M14 x 1.5 connection thread, light metal</p>							■	■	■	1319291A
 <p>Interchangeable filter For holder 1319291A</p>							■	■	■	1320031A
 <p>Interchangeable RME filter For holder 1320017A</p>							■	■	■	1320018A
<p>KKC85/1 holder For interchangeable filters</p>							■	■	■	1319823A
<p>KKC84/1 holder with heater For interchangeable filters</p>							■	■	■	1320016A
<p>Interchangeable filter KC 74-089 For holders 1319823A and 1320016A</p>							■	■	■	1320015A
<p>Screw fittings kit Steel zinc coated, for soldered joints, Contents: double connection piece, union nuts, ring seals and sealing cone</p>							■	■	■	1320539A
 <p>Electric valve 24 V, M14 x 1.5 connection thread, for fuel line, Ambient temperature -40 °C to +80 °C, for 6.3 mm tab connectors</p>							■	■	■	1319443A
 <p>Banjo bolt L = 25, M10 x 1 thread, steel zinc coated, 2 pieces</p>							■	■	■	1320999A
 <p>Banjo D1a = 5, D2i = 10 D1a = 6, D2i = 12 D1a = 6, D2i = 10 L = 10, steel zinc coated</p>							■	■	■	1320747A 1319355A 1321062A



Fuel System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Hose sealing cone									
Da = 5, L = 30							■	■	■	1319305A
Da = 6, L = 30							■	■	■	1319702A
Da = 8, L = 32, 10 pieces							■	■	■	1320233A
	Union nut									
SW = 19, M14 x 1.5 thread, 10 pieces							■	■	■	1320243A
	Fuel filter kit									
Da = 5, plastic transparent, with hose clips and connecting hoses	■	■	■	■	■	■				1318361A
	Reducer pipe									
D = 8 – 6, brass							■	■	■	1319590A
	Connecting pipe									
Da = 8, L = 56, plastic, VOME-resistant, 10 pieces							■	■	■	1321079A
	Flexible heat protection pipe									
Di = 14.5, Da = 16.5, L = 5,000	■	■	■	■	■	■				1321585B
Di = 14.5, Da = 16.5, L = 20,000	■	■	■	■	■	■				1321584B
Di = 28, Da = 31, L = 2,000	■	■	■	■	■	■				1322650A
Di = 28, Da = 31, L = 20,000	■	■	■	■	■	■				1317127A
GA-A (aluminium foil and aluminium coated glass fabric)										
	Fuel line									
Di = 1.5, L = 1,500, black	■	■	■	■	■	■				9030545A
Di = 1.5, L = 3,000, black	■	■	■	■	■	■				9030543A
Di = 1.5, L = 6,000, black	■	■	■	■	■	■				9030542A
Di = 1.5, L = 8,000, black	■	■	■	■	■	■				9030538A
Di = 1.5, L = 11,000, black	■	■	■	■	■	■				9030540A
Di = 1.5, L = 100,000, black	■	■	■	■	■	■				9030532A
Di = 3, L = 12,000, blue, for Thermo Pro 90 at a pressure line length of 5 m, with white imprint	■	■	■	■	■	■				9028520A
Da = 5, PA12 ETFE										








Fuel System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Fuel hose									
Di = 4.5, Da = 9, L = 5,000	■	■	■	■	■	■				1321500A
Di = 4.5, Da = 9, L = 10,000	■	■	■	■	■	■				1321502A
Di = 5, Da = 10, L = 5,000	■	■	■	■	■	■				1321559A
Di = 5, Da = 10, L = 10,000	■	■	■	■	■	■				1321560A
Di = 6, Da = 11, L = 5,000							■	■	■	1321563A
Di = 6, Da = 11, L = 25,000							■	■	■	1321564A
Di = 8, Da = 13, L = 20,000, DIN 73379, with textile ply							■	■	■	1321688B
	Fuel hose									
L = 5,000, VOME-resistant	■	■	■	■	■	■				1321612B
L = 10,000, VOME-resistant	■	■	■	■	■	■				1321613A
L = 50, 20 pieces	■	■	■	■	■	■				9023450A
Di = 4.5, Da = 10.5										
	Molded fuel hose									
90°	■	■	■	■	■	■				9023160A
90°, VOME-resistant	■	■	■	■	■	■				9023384A
Di = 4.5, Da = 10.5, 10 pieces										
	Molded hose									
Di1 = 7.5, Di2 = 4.5, 90°, with reduction	■	■	■	■	■	■				1319718A
	Molded fuel hose									
Di1 = 4.5, Di2 = 3.5, 90°, RME-resistant, with reduction	■	■	■	■	■	■				1319677A
	Riser pipe									
Di = 3, Da = 6, L = 322, plastic	■	■	■	■	■	■				1320413A
	Fuel hose									
Di = 3.5, Da = 4.5, L = 50, RME-resistant, with reduction	■	■	■	■	■	■				1320862A
	Molded hose									
Di = 4.5, Da = 10.5, 180°	■	■	■	■	■	■				1319686A








Fuel System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
 <p>Fuel hose kit Di = 4.5, Da = 10, L = 50, VOME-resistant, 5 x hoses, 10 x hose clips</p>	■	■	■	■	■	■				1322837A
 <p>Fuel pump hanger kit For dosing pump DP2 and DP30, also for fastening to stud bolts belonging to the vehicle</p>	■	■	■	■	■	■				92296A
 <p>Fuel pump holder Solid rubber, very quiet mounting, bag of 3 pieces</p>	■	■	■	■	■	■				9023386A
 <p>Support sleeve Da = 6, L = 15, brass, 10 pieces Da = 7, L = 36 Da = 8, L = 15 For reinforcing plastic pipes</p>	■	■	■	■	■	■	■	■	■	1321071A 1320164A 1320198A
 <p>Mini Jacket fuel pump protector Protection device for fuel pumps with mufflers, required by ISO 7840 if the fuel system is installed in engine rooms</p>	■	■	■	■	■	■				1319522A
 <p>Metal fuel line kit for boats Di = 1.5, Da = 5, L = 5,000, EN ISO 7840 with screw fasteners, hoses and clips</p>	■	■	■	■	■	■				66958B
 <p>Fuel hose for boats Di = 5, Da = 15, L = 50</p>	■	■	■	■	■	■				1320857A
 <p>Fuel line for boats Di = 1.5, Da = 5, L = 5,000, stainless steel</p>	■	■	■	■	■	■				1320860A



Hot Air System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number
 <p>Distributor Y-unit Da = 55 Da = 80 Plastic, black</p>	■	■								■	1319416A 1319212A
 <p>Distributor Y-unit D1a = 80, D2a = 55, to be used in the secondary flow only D1a = 60, D2a = 60 D1a = 90, D2a = 80 D1a = 90, D2a = 90 D1a = 80, D2a = 60 Plastic, black</p>		■								■	1320753A 1320814A 1320375A 1320470A 1320471A
 <p>T-unit Da = 60 Da = 90 L = 110, 90°, plastic, black</p>	■	■								■	1320474A 1320473A
 <p>T-unit Di1 = 90, Di2 = 60, 90°, plastic, black, with thread</p>	■	■								■	1320476A
 <p>End Cap Da = 60 Da = 90 Plastic, black</p>	■	■								■	1320477A 1319870A
 <p>Junction fitting D1a = 60, L = 145 D1a = 90, L = 146 D2a = 60, 45°, plastic, black</p>	■	■								■	1320472A 1320707A
 <p>Junction fitting D1a = 80, D2a = 80, D3a = 80, L = 370, 45°, steel corrosion-resistant</p>	■									■	1319315A









Hot Air System

	Air Top 2000 5TC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number
 <p>Louvre plate L = 190, H = 170, aluminium</p>	■	■								■	1319269A
 <p>Screen Di = 60, plastic, black, for intake and outlet openings of heater</p>	■										1320163A
 <p>Protective screen Di = 60, rubber, for heater intake</p>	■										1320173A
 <p>Screen (anti-ingress) Di = 80, Da = 112, steel chromed</p>		■									1319308A
 <p>Reducer for air hose D1a = 60, D2a = 55, L = 35 D1a = 90, D2a = 80, L = 45 D1a = 80, D2a = 55, L = 82 Plastic, black, for flexible pipe</p>	■		■							■	1320127A 1320185A 1319477A
 <p>Reducer pipe D1a = 80, D2a = 60, L = 190, steel corrosion-resistant, for flexible pipe</p>		■									1319312A
 <p>Adapter for heater connection D1a = 75, D2a = 60 D1a = 90, D2a = 80 L = 40, plastic, black</p>	■		■							■	1321005A 1320186A







Hot Air System

	Air Top 2000 5TC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number
 <p>Flexible pipe Di = 55, L = 2,000 APK, black Di = 55, L = 5,000 APK, black Di = 55, L = 10,000 APK, black Di = 55, L = 25,000 APK, black Di = 60, L = 25,000 APK, black Di = 60, L = 10,000 APK, black Di = 60, L = 2,000 APK, black Di = 60, L = 5,000 APK, black Di = 80, L = 25,000 APK, black Di = 80, L = 10,000 APK, black Di = 80, L = 2,000 APK, black Di = 80, L = 5,000 APK, black Di = 90, L = 25,000 APK, black Di = 90, L = 10,000 APK, black Di = 90, L = 2,000 APK, black Di = 90, L = 5,000 APK, black Di = 60, L = 3,000 PAHK Di = 55, L = 25,000 PAPK, grey Di = 55, L = 10,000 PAPK, grey Di = 55, L = 2,000 PAPK, grey Di = 55, L = 5,000 PAPK, grey Di = 55, L = 10,000, PAK Di = 55, L = 20,000, PAK Di = 60, L = 25,000, PAPK, grey Di = 60, L = 10,000, PAPK, grey Di = 60, L = 2,000, PAPK, grey Di = 60, L = 5,000, PAPK, grey Di = 80, L = 25,000, PAPK, grey Di = 80, L = 10,000, PAPK, grey Di = 80, L = 2,000, PAPK, grey Di = 80, L = 5,000, PAPK, grey Di = 80, L = 10,000, PAK Di = 90, L = 25,000, PAPK, grey Di = 90, L = 10,000, PAPK, grey Di = 90, L = 2,000, PAPK, grey Di = 90, L = 5,000, PAPK, grey Di = 55, L = 20,000, AA Di = 80, L = 1,000, AA Di = 80, L = 5,000, AA Di = 80, L = 10,000, AA</p>	■	■								■	1315889A 1321573B 1322082A 1311891C 1311892C 1322083C 1321574B 1321575C 1311893C 1321718C 1321576C 1321577B 1311894C 1321719C 1321578C 1321579C 1321511A 1311896C 1321722B 1321580B 1321581B 1321701B 1321703B 1311898C 1321727C 1321504A 1321505A 1311900C 1321729B 1321582B 1321583B 1322147B 1311902C 1321731C 1321506B 1321508B 1321503A 1321531A 1321532A 1321533A
 <p>Insulated hoses Di = 80 Di = 90 PAK L = 12,000 mm</p>		■								■	1321515A 1321517A








Hot Air System

		Air Top 2000 5TC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number
	Console For mounting flexible pipes with corresponding hose clip	■	■								■	1321044A
	Double fitting Da = 60, L = 50 Da = 80, L = 75 Da = 90, L = 50 Plastic, black, for connecting flexible pipes	■	■								■	1320469A 1319476A 1319869A
	Reduction adapter Da = 80 Da = 60 Di = 90, plastic, black, for connecting flexible pipes		■								■	1320925A 1320760A
	Elbow Da = 90, 90°, plastic, black		■								■	1320706A
	Elbow Di2 = 80.5, Da1 = 79, L1 = 115, L2 = 120 Di2 = 102.5, Da1 = 99, L1 = 142, L2 = 142 90°, steel corrosion-resistant		■								■	1319272A 1319273A
	Wall feed-through Da = 60 Da = 90 Plastic, black	■	■								■	1320923A 1320924A
	Adaptor ring Di = 55, Da = 60 Di = 70, Da = 80, for outlet 1319946A W = 17, plastic, black	■	■								■	1320224A 1320040A
	Air Outlet Da = 60, black Da = 60, white Da = 60, grey D = 90, black Da = 90, white Da = 90, grey Plastic, lockable, bag with wall feed through	■	■								■	1320206A 1320207A 1320937A 1320355A 1320713A 1320714A







Hot Air System

		Air Top 2000 5TC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number
	Air Outlet Da = 60, black Da = 60, white Da = 60, grey Da = 90, black Da = 90, white Da = 90, grey Plastic, axiale Durchströmung, bag with wall feed through	■	■								■	1320934A 1320935A 1320936A 1320932A 1320712A 1320711A
	Outlet D1a = 60, D2a = 92, L = 65, plastic, black, axial flow, with bushing	■	■								■	1322634A
	Air Outlet D1a = 55, D2a = 87 D1a = 80, D2a = 110 L = 65, 90°, plastic, black, insert grid, straight, rotating	■	■								■	101625 1322710A
	Air outlet Da = 60, black Da = 60, white Da = 60, grey Da = 60, brown Da = 90, black Da = 90, white Da = 90, grey 45°, plastic, through flow with bushing	■	■								■	1320204A 1320205A 1320933A 1320761A 1320709A 1320710A 1320354A
	Air outlet D1a = 90, D2a = 120, L = 65, 45°, plastic, black, through flow with bushing		■								■	1320956A
	Air outlet D1a = 55, D2a = 87 D1a = 80, D2a = 110 L = 65, 45°, plastic, black, through flow, rotatable, with bushing	■	■								■	107836 107984








Hot Air System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number	
	Air outlet											
	D1a = 60, D2a = 92											1322405A
	D1a = 80, D2a = 120											1319327A
Plastic, black, rotatable, with bushing, with ball-type cover												
	Air outlet											
	D1a = 55											1320812A
	D1a = 70, use for secondary flow only											1319946A
D2a = 100, L = 65, plastic, black, closable, with bushing												
	Union nut for outlet											
	Da = 60											1320922A
	Da = 90											1320468A
L = 60, plastic, black												
	Wall pipe											
	D1a = 87, D2a = 55											1320063A
	D1a = 110, D2a = 80											1319471A
L = 73, plastic, black												
	Demist nozzle											
	Da = 55, steel corrosion-resistant											1319470A
	Air ducting silencer											
	Di = 90, L = 600, aluminium/plastic											1321734A
	Distributor											
	Da = 55, L = 95											1319224A
	Da = 80, L = 124											1319214A
Plastic, black, with remote control flap valve												








Hot Air System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number	
	Control cable											
	L = 850											1320785A
	L = 1,500											1320786A
For Distributor 1319224A and 1319214A, with grip and outer sleeve												
	Clamp											
	For Bowden Cable 1320785A and 1320786A											1319688A
	Distributor											
	Di = 60											1320352A
	Di = 90											1320926A
Plastic, black, with control butterfly valve												
	Control device for distributor											
	L = 2,000, for Distributor 1320352A and 1320926A, with control butterfly valve											1319868A
	Rubber bellow											
												9018647C
	Dual Top air intake cover											
	D = 60											1314904A

Water System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
 <p>Hose Di = 15, Da = 22, L = 2,400</p>			■	■	■	■	■	■	■	1320300A
 <p>Hose Di = 18, Da = 25, L = 2,000, PER-EPDM</p>				■						1322423A
 <p>Reducing hose D1i = 20, D1a = 27, D2i = 18, D2a = 25, L = 60</p>			■	■	■	■	■	■	■	1320856A
 <p>Reducing hose D1i = 28, D1a = 37, D2i = 38, D2a = 47, L = 100, silicone</p>							■	■		1320374A
 <p>Molded hose Di = 18, Da = 25, 90°</p>			■	■	■	■	■	■		1319418A
 <p>Molded hose</p> <p>Di = 15, Da = 22, L1 = 1,020, L2 = 50</p> <p>Di = 18, Da = 25, L1 = 125, L2 = 90</p> <p>Di = 18, Da = 25, L1 = 500, L2 = 48</p> <p>Di = 18, Da = 27, L1 = 1,020, L2 = 50</p> <p>Di = 20, Da = 27, L1 = 70, L2 = 57</p> <p>Di = 20, Da = 27, L1 = 130, L2 = 57</p> <p>90°</p>			■	■	■	■	■	■	■	1320789A
			■	■	■	■	■	■	■	1320907A
			■	■	■	■	■	■	■	1319953A
			■	■	■	■	■	■	■	1320794A
			■	■	■	■	■	■	■	1319839A
			■	■	■	■	■	■	■	1320147A
 <p>Molded hose L1 = 70, L2 = 105, Di = 38, Da = 47, 90°, silicone</p>							■	■		1319934A

Water System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
 <p>Molded hose Di = 15, Da = 25, 90°, silicone</p>			■	■	■	■	■	■	■	1319717A
 <p>Molded hose Di = 20, Da = 27, L1 = 190, L2 = 120, L3 = 70, 180°</p>			■	■	■	■	■	■	■	1320988A
 <p>Molded hose Da = 47, D1i = 38, D2i = 32, L1 = 90, L2 = 70, 90°, silicone, with reduction</p>							■	■		1319827A
 <p>Molded hose D1i = 35, D1a = 44, D2i = 38, D2a = 47, L1 = 80, L2 = 80, 90°, silicone, with reduction</p>							■	■		1319679A
 <p>Molded hose Di = 20, Da = 27, L1 = 59, L2 = 54, 90°, with reduction</p>			■	■	■	■	■	■	■	1319673A
 <p>Molded hose Di = 20, Da = 27, L1 = 64, L2 = 88, W = 47, 180°</p>			■	■	■	■	■	■	■	1320913A
 <p>Molded hose Di = 18, Da = 25, r = 25, L1 = 18, L2 = 18</p> <p>Di = 20, Da = 27, r = 23.5, L1 = 88, L2 = 64</p> <p>180°</p>			■	■	■	■	■	■	■	1319401A
			■	■	■	■	■	■	■	1319623A








Water System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Molded hose										
	Di = 15, L1 = 580, L2 = 17, H = 75			■	■			■			1320790A
	Di = 18, L1 = 580			■	■			■			1319421A
	Di = 18, L1 = 1100, L2 = 17, H = 75 Da = 25, 180°			■	■			■			1322496A
	Molded hose										
	Di = 18, Da = 25, L = 110			■	■	■	■	■			1322493A
Di = 20, Da = 27, L = 70			■	■	■	■	■				1321031A
	Molded hose										
	Di = 18, Da = 25, L = 2,200			■	■	■	■	■			1319455A
	Di = 18, Da = 25, L = 3,000			■	■	■	■	■			1320783A
Di = 20, Da = 27, L = 2,200			■	■	■	■	■			1319268A	
	Molded hose										
	Di = 20, Da = 29, L = 2,230, 360°, with increased wall thickness			■	■	■	■	■			1319631A
	Molded hose										
	Di = 18, Da = 25, r = 30, L1 = 95, L2 = 25, L3 = 20			■	■	■	■	■			1320758A
	Molded hose										
	Di = 18, Da = 25, L1 = 73, L2 = 58			■	■	■	■	■			1319419A
	Molded hose										
	D1i = 18, D1a = 25, D2i = 15, D2a = 22, L1 = 62, L2 = 32, 45°, with reduction			■	■	■	■	■			1320871A
	Molded hose										
	D1i = 20, D1a = 28, D2i = 20, D2a = 28, L1 = 110, L2 = 60, L3 = 65, 180°			■	■	■	■	■			1320156A







Water System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Molded hose										
	D1i = 15, D1a = 22, D2i = 18, D2a = 25, with reduction			■	■	■	■	■			1319402A
	Connecting pipe										
	D = 15, L = 75, brass			■	■	■	■	■			1319279A
	Connecting pipe										
	D1a = 17, D2a = 20, plastic, black			■	■	■	■	■			1320143A
	D1a = 18, D2a = 22, plastic, black			■	■	■	■	■			1320155A
	D1a = 20, D2a = 22, plastic, black			■	■	■	■	■			1319594A
	D1a = 20, D2a = 14, aluminium L = 63			■	■	■	■	■			1319722A
	T-piece										
	D1a = 15, D2a = 15, steel corrosion-resistant			■	■	■	■	■			1319289A
	D1a = 18, D2a = 15, steel corrosion-resistant			■	■	■	■	■			1320532A
	D1a = 18, D2a = 18, plastic, black			■	■	■	■	■			1321001A
	D1a = 20, D2a = 10, steel corrosion-resistant			■	■	■	■	■			1319846A
	D1a = 20, D2a = 15, steel corrosion-resistant			■	■	■	■	■			1319290A
	D1a = 20, D2a = 20, brass L = 75			■	■	■	■	■			1319602A
T-piece											
D1a = 20, D2a = 20, steel corrosion-resistant, with restrictor, restrictor diameter 5.8 mm			■	■	■	■	■				1319817A
	T-piece										
	Da = 18, L = 75, steel corrosion-resistant, with restrictor, restrictor diameter 4 mm			■	■	■	■	■			1319800A
	Connecting piece										
	Da = 18, L = 75, steel corrosion-resistant			■	■	■	■	■			1319266A
	Connecting pipe										
	Da = 38, L = 100, M22 x 1.5 thread connection, steel corrosion-resistant, for thermostat								■	■	1319286A










Water System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
 <p>Connecting pipe</p> <p>Da = 15</p> <p>Da = 18</p> <p>L = 65, M4 thread connection, steel corrosion-resistant, for thermostat</p>			■	■	■	■	■	■	1319263A	
			■	■	■	■	■	■	1319519A	
 <p>Shutoff valve</p> <p>Da = 38, L = 200, W = 85.5, H = 131, plastic PA66, operating pressure -0.5 to 4 bar, fluid temperature -30 to 110 °C, weight 0.5 kg, with filter</p>							■	■	1319931A	
 <p>Filter insert</p> <p>Da = 38, for shutoff valve with filter 1319931A</p>							■	■	1319710A	
 <p>Electric valve</p> <p>Da = 20, L = 106, H = 100, 12 V, metal / plastic, 2/2-way, normally open, operating temperature -40 to 85 °C</p>			■	■	■	■	■	■	1319981A	
 <p>Electric valve</p> <p>Da = 18, L = 84, W = 55, H = 101, 12 V, metal / plastic, plastic casing, 3/2-way, open without power, bag with electrical mounting parts</p>			■	■	■	■	■	■	9014606A	
 <p>Connecting pipe</p> <p>Da = 15</p> <p>Da = 18</p> <p>Da = 20</p> <p>Steel corrosion-resistant, with bleeder valve</p>			■	■	■	■	■	■	1319221A	
			■	■	■	■	■	■	1319219A	
			■	■	■	■	■	■	1320989A	
 <p>Check valve</p> <p>Da = 15, L = 104</p> <p>Da = 15, L = 104</p> <p>Da = 18, L = 90</p> <p>Da = 18, L = 100</p> <p>Da = 20, L = 120</p> <p>Plastic, black, without leak hole</p>			■	■	■	■	■	■	1320240A	
			■	■	■	■	■	■	1320239A	
			■	■	■	■	■	■	1319250A	
			■	■	■	■	■	■	1319484A	
			■	■	■	■	■	■	1319554A	









Water System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
 <p>Check valve</p> <p>Da = 18, L = 104, plastic, black, without leak hole</p>			■	■	■	■	■	■	■	1320563A
 <p>Check valve</p> <p>D1a = 18, D2a = 18, L = 146, plastic, black, with leak hole</p> <p>D1a = 20, D2a = 20, L = 162, brass, with leak hole</p> <p>D1a = 18, D2a = 18, L = 146, plastic, black, without leak hole</p> <p>H = 42</p>			■	■	■	■	■	■	■	1319486A
			■	■	■	■	■	■	■	1319595A
			■	■	■	■	■	■	■	1319485A
 <p>Check valve</p> <p>D1a = 18, D2a = 18, L = 82, H = 82, plastic, black, with bypass, without leak hole</p>			■	■	■	■	■	■	■	1319255A
 <p>Thermostatic valve</p> <p>Da = 18</p> <p>Da = 20</p> <p>L = 108, H = 70, brass / steel coated, with leak hole, starts to open at 59 °C</p>			■	■	■	■	■	■	■	1319986A
			■	■	■	■	■	■	■	1320253A
 <p>Thermostatic valve</p> <p>Da = 20, L = 112, brass / steel coated, without leak hole, starts to open at 70 °C</p>			■	■	■	■	■	■	■	1320033A
 <p>Combination valve</p> <p>Da = 18, brass / steel coated, with leak hole, starts to open at 40 °C</p>			■	■	■	■	■	■	■	1319650A






Mounting Parts

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	■	■								9005942B
Air Top Box										
Plastic/steel, for mounting Webasto air heaters on commercial vehicle bodies, with holder and mounting accessories										
	■									86032A
Installation box										
Steel, enables additional installation options, including heating air adapte										
	■		■							1311609B
Air Top Evo installation box										
Steel										
Steel										9016392B
With mounting parts and brackets										
	■	■								1319936A
Holder for air heaters										
Stainless steel, suitable for various installation options										
	■	■								1320995A
Air heater holding plate										
Stainless steel, for reinforcement on thin body panels										
	■	■								1321444A
Mounting base										
H = 35, D = 130, aluminium / steel, for air heaters, for mounting air heaters on the vehicle floor, overall height of 35 mm makes them suitable for very thick carpets / mats / insulation or other cladding, (without stud bolt)										
				■	■					1320500A
Thermo Top Evo holder										
Steel corrosion-resistant, standard holder										
				■	■					1320495A
Thermo Top Evo holder										
Steel corrosion-resistant, for horizontal installation										
				■	■					1320494A
Thermo Top Evo holder										
Steel corrosion-resistant, for vertical installation										







Mounting Parts

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
					■	■				1322832A
Thermo Top Evo holding bracket kit										
For fastening water connection piece of Thermo Top Evo, with seals and screw										
	■	■	■	■	■	■	■	■	■	9007918A
Mounting strip										
Steel zinc coated, 10 pieces										
Stainless steel										1319818A
L = 100, W = 25										
	■	■	■	■	■	■	■	■	■	1320232A
Mounting bracket										
Steel zinc coated										
Stainless steel										1320264A
L = 46, W = 25, D = 26, 10 pieces										
			■	■						9011669A
self-tapping screw										
Da = 6, L = 22, SW = 10, steel zinc coated, bag of 10 pieces										
			■	■						9006446A
Self-tapping stud bolt										
L = 16										
L = 31										9009025A
M6, steel zinc coated, bag of 10 pieces										
	■	■	■	■	■	■	■	■	■	9011635A
Rivet-in nut										
D1a = 13, D2a = 9, D1 = 13, D2 = 9, L = 15, M6 x 15.5, aluminium, bag of 10 pieces										
	■	■	■	■	■	■	■	■	■	9011659A
Pin lock										
Da = 12.5, L = 0, M6, steel corrosion-resistant, bag of 10 pieces										
	■	■	■	■	■	■				1320270A
Anti-vibration mount										
L = 53, M6 thread, not suitable for fastening heaters, 5 pieces										








Mounting Parts

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Anti-vibration mount										
	Da = M6 thread	■	■	■	■	■	■				9023020A
	Da = M8 thread	■	■	■	■	■	■				1319553A
	L = 34, not suitable for fastening heaters, 5 pieces										
	Spacer nut										
	L = 15	■	■	■	■	■	■	■	■	■	1320256A
	L = 20	■	■	■	■	■	■	■	■	■	1320241A
	L = 30	■	■	■	■	■	■	■	■	■	1320083A
	L = 40	■	■	■	■	■	■	■	■	■	1319517A
SW = 17, Full-length M6 thread, steel corrosion-resistant											
	Spacer bushing										
	Di = 7, Da = 18, L = 8										1320091A
	Di = 8, Da = 20, L = 5	■	■	■	■	■	■	■	■	■	1320498A
	Di = 8, Da = 20, L = 8	■	■	■	■	■	■	■	■	■	1320499A
	Di = 8, Da = 20, L = 10	■	■	■	■	■	■	■	■	■	1320496A
	Di = 8, Da = 20, L = 15	■	■	■	■	■	■	■	■	■	1320090A
	Di = 8, Da = 20, L = 20	■	■	■	■	■	■	■	■	■	1320088A
	Di = 8, Da = 20, L = 30	■	■	■	■	■	■	■	■	■	1320089A
	Di = 8, Da = 20, L = 40	■	■	■	■	■	■	■	■	■	1319533A
	Di = 9, Da = 25, L = 14	■	■	■	■	■	■	■	■	■	1320092A
Aluminium											
	Pipe clip										
	Di = 18, W = 15, steel zinc coated, 6.5 mm fastening hole	■	■	■	■	■	■	■	■	■	1320042A
	Di = 25, W = 15, stainless steel, 6.5 mm fastening hole, bag of 10 pieces	■	■	■	■	■	■	■	■	■	9023007A
	Di = 28, W = 15, steel zinc coated, 6.5 mm fastening hole, 5 pieces	■	■	■	■	■	■	■	■	■	1320277A
	Di = 33, W = 15, W = 15, stainless steel, 6.5 mm fastening hole	■	■	■	■	■	■	■	■	■	1320064A
	Di = 42, W = 12, W = 12, stainless steel, 5.2 mm fastening hole	■	■	■	■	■	■	■	■	■	1319693A
	Di = 42, W = 15, W = 15, stainless steel, 6.5 mm fastening hole, 5 pieces	■	■	■	■	■	■	■	■	■	1320276A
	Di = 52, W = 15, W = 15, steel zinc coated, 6.5 mm fastening hole, 5 pieces	■	■	■	■	■	■	■	■	■	1320265A
	Pipe clip										
	Di = 5, W = 12, stainless steel / rubber, rubber-coated pipe clip, 5.2 mm fastening hole	■	■	■	■	■	■	■	■	■	1320195A
	Di = 29, W = 15, steel zinc coated / rubber, rubber-coated pipe clip, fastening hole 6.4 mm, 5 pieces	■	■	■	■	■	■	■	■	■	1320235A
	Di = 34, W = 15, steel zinc coated / rubber, rubber-coated pipe clip, fastening hole 6.4 mm	■	■	■	■	■	■	■	■	■	1319701A
	Di = 34, W = 20, steel zinc coated / rubber, 8.4 mm fastening hole, 10 pieces	■	■	■	■	■	■	■	■	■	1320236A
	Di = 35, W = 20, steel zinc coated / rubber, rubber-coated pipe clip, 8.4 mm fastening hole, bag with 5 pieces	■	■	■	■	■	■	■	■	■	9022835A










Mounting Parts

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Pipe clamp										
	Di = 24 ... 26, with carriage bolt	■	■	■	■	■	■				1320165A
	Di = 26 ... 28, nut, welded		■								1320220A
	W = 16, M6 thread, stainless steel, for flexible exhaust pipe										
	Pipe clamp										
	Di = 39 ... 42, W = 13.5, with screw						■	■			1320194A
	Di = 24 ... 27, W = 10.4, with screw	■		■	■	■					1320815A
	Di = 30, Da = 33, with carriage bolt						■				1320203A
	M8 thread, steel corrosion-resistant, for flexible exhaust pipe										
	Cailleau hose clip										
	Di = 9.5 ... 11	■	■	■	■	■	■	■	■	■	9011661A
	Di = 10.5 ... 11.5	■	■	■	■	■	■	■	■	■	9011656A
W = 6, stainless steel, mounting with special tool, 10 pieces											
	Hose clip										
	Di = 8, steel corrosion-resistant, 20 pieces	■	■	■	■	■	■	■	■	■	1320244A
	Di = 9, steel corrosion-resistant	■	■	■	■	■	■	■	■	■	1320492A
	Di = 10, steel corrosion-resistant, 50 pieces	■	■	■	■	■	■	■	■	■	9023037A
	Di = 12, steel corrosion-resistant, 20 pieces	■	■	■	■	■	■	■	■	■	1320246A
	Di = 14, steel corrosion-resistant, 20 pieces	■	■	■	■	■	■	■	■	■	1320245A
	Di = 14, stainless steel, 10 pieces	■	■	■	■	■	■	■	■	■	1320249A
	W = 9, SW = 7, bolt head with hexagon and cross-head slot										
	Hose clip										
	Di = 16 ... 25, steel corrosion-resistant, 20 pieces	■	■	■	■	■	■	■	■	■	1320248A
	Di = 16 ... 27, stainless steel, 10 pieces	■	■	■	■	■	■	■	■	■	9015918A
	Di = 23 ... 35, stainless steel, 20 pieces	■	■	■	■	■	■	■	■	■	1320271A
	Di = 32 ... 50, steel corrosion-resistant, 10 pieces	■	■	■	■	■	■	■	■	■	1321064A
W = 9, SW = 7, bolt head with hexagon and cross-head slot											
	Hose clip										
	Di = 40 ... 47, W = 14.3, SW = 8, steel corrosion-resistant	■	■	■	■	■	■	■	■	■	1320158A
	Di = 48 ... 55, W = 14.3, SW = 8, steel corrosion-resistant	■	■	■	■	■	■	■	■	■	1320159A
	Di = 70 ... 90, W = 14.3, SW = 8, steel corrosion-resistant	■	■	■	■	■	■	■	■	■	1320223A
	Di = 72 ... 79, W = 14.3, SW = 8, steel corrosion-resistant	■	■	■	■	■	■	■	■	■	1320160A
	Di = 80 ... 87, W = 14.3, SW = 8, steel corrosion-resistant	■	■	■	■	■	■	■	■	■	1320162A
	Di = 78 ... 102, W = 12.7, SW = 7, stainless steel	■	■	■	■	■	■	■	■	■	1320817A
	Di = 98 ... 120, W = 14.3, SW = 8, steel corrosion-resistant	■	■	■	■	■	■	■	■	■	1320161A
Bolt head with hexagon and slot											








Mounting Parts

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Spring clip										
	Di = 25, light grey	■	■	■	■	■	■	■	■	■	9009019A
	Di = 27, dark grey	■	■	■	■	■	■	■	■	■	9009018A
	Di = 22, black, space-saving clip, E2	■	■	■	■	■	■	■	■	■	9011662A
	Di = 25, black, space-saving clip, E2	■	■	■	■	■	■	■	■	■	9009022A
	Di = 27, black, space-saving clip, E2	■	■	■	■	■	■	■	■	■	9009023A
Di = 28, black, with stopping component, E1	■	■	■	■	■	■	■	■	■	9014607A	
W = 12, steel corrosion-resistant, bag of 10 pieces											
	Dual lock velcro strip										
	L = 50	■	■	■	■	■	■	■	■	■	1320202A
	L = 100	■	■	■	■	■	■	■	■	■	1320708A
W = 25, plastic, black, self-adhesive											
	Hose and cable holder										
	D1 = 10 – 12, D2 = 19 – 24.5	■	■	■	■	■	■	■	■	■	9010999A
	D1 = 27, D2 = 27, locking	■	■	■	■	■	■	■	■	■	9010997A
	D1 = 22 – 24, D2 = 22 – 24	■	■	■	■	■	■	■	■	■	9011000A
	D1 = 25 – 28, D2 = 21.5 – 24	■	■	■	■	■	■	■	■	■	9011001A
D1 = 37 – 41, D2 = 21.5 – 24	■	■	■	■	■	■	■	■	■	9011002A	
Plastic, black, bag of 5 pieces											
	Rubber ring (anti-chafing device)										
	Di = 13.5, Da = 31, L = 15, elastomer, black, 10 pieces	■	■	■	■	■	■	■	■	■	1321063A
	Di = 20.5, Da = 40, L = 20, elastomer, black	■	■	■	■	■	■	■	■	■	1312785A
	Di = 25.5, Da = 45, L = 20, EPDM-50, red	■	■	■	■	■	■	■	■	■	1312780A
Not permitted for exhaust systems											
	Edge protector										
	L = 500	■	■	■	■	■	■	■	■	■	1319778A
	L = 700	■	■	■	■	■	■	■	■	■	1320093A
With wire coil, sheet thickness 1 to 4 mm											
	Braided protection hose										
	L = 1,500, chafing guard for polyester water hoses	■	■	■	■	■	■	■	■	■	1301317B
	L = 2,000, chafing guard for polyester water hoses			■	■	■	■	■	■	■	1322513A
	L = 5,000			■	■	■	■	■	■	■	1321596B
	L = 25,000			■	■	■	■	■	■	■	1321597B
Di = 26 ... 30, polyester											
	Heat shrinkable hose										
	L = 100	■	■	■	■	■	■	■	■	■	1322452A
	L = 5,000	■	■	■	■	■	■	■	■	■	1321590A
	L = 50,000	■	■	■	■	■	■	■	■	■	1321589A
Di = 38 ... 19, wall thickness 1 mm, shrinkage rate 2:1, operating temperature range -55 °C to +125 °C											











Electrical Accessories

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number
	Compartment thermostat											
	L = 75, W = 28, H = 75, plastic, black, for vehicle blower, mechanical (changeover contact)											1320587A
	Compartment thermostat											
	L = 75, W = 28, H = 75, plastic, black, for vehicle blower, mechanical (changeover contact), with on/off switch											1320415A
	Compartment thermostat											
	L = 75, W = 28, H = 75, plastic, black, mechanical (changeover contact) with on/off switch and ventilation											1320416A
	Temperature sensor external											
	Wiring harness length 5 m	■										1319842A
	Temperature sensor external											
	Wiring harness length 5 m, with housing cover	■	■									93205A
	Wiring harness length 20 m, with housing cover		■									92649B
	Temperature sensor external											
	Bag external Temperature Sensor Air Top 5 m	■										9030883A
	Bag external Temperature Sensor Air Top 2.5 m	■	■									9030881A
	Housing cover											
	As replacement when using external temperature sensor, with grommet, with grommet	■										1319621A
	Y adapter for wiring harness											
	For retrofitting ThermoCall with Telestart already fitted											1319820A
	Y adapter for wiring harness											
	Telestart digital timer 1533 connection											1319873A










Electrical Accessories

	Air Top 2000 5TC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number
	Fuse holder										
	1 A, for 1 A blade fuse, for 6.3 mm tab connector, with slot marking in black										
	5 A, for 5 A blade seal, for 6.3 mm tab connector, with slot marking in beige										
	20 A, for 20 A blade fuse, for 6.3 mm tab connector, with slot marking in yellow 6.3 mm, plastic, black, SAE J1284, watertight										
	Mounting base										
	Plastic, black, for fuse holders, 1320313A, 1320157A, 1320151A, with screws										
	Additional fuse kit										
	6.3 mm, plastic, black, for flat fuses SAE J1284, watertight, contents: 1 fuse holder 1320313A with all connection accessories and single-wire seals (without fuses and mounting base)										
	Fuse holder kit										
	Plastic, black, watertight, replaces triple fuse holder on heater wiring harness, contents: 3 1320313A fuse holders and mounting parts (without fuses and mounting bases)										
	Flat spring contact										
	0.5 ... 1.5										
	2.0 ... 3.0										
	4.0 ... 6.0										
For fuse holder, watertight, bag of 10 pieces											
	Single-wire seal										
	Da = 5.4, 0.35 ... 1.00, L = 8, light blue										
	Da = 4.1, 0.5 ... 0.75, L = 9, green										
	Da = 5.4, 1.5 ... 2.5, L = 8, white, 10 pieces										
	Da = 5.6, L = 8, red, for MTA-fuse holder										
Bag of 20 pieces											
	Blade fuse										
	15 A, light blue										
	20 A, brown										
	25 A, white										
6.3 mm, bag of 20 pieces											
















Electrical Accessories

	Air Top 2000 5TC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number
	Temperature switch										
	Closes at 2 °C for operating the parking heater as an auxiliary heater										
	Closes at 10 °C, for operating the parking heater as an auxiliary heater										
	Closes at 12 °C, for operating the parking heater as an auxiliary heater										
	Holder										
	For temperature switch, for mounting the temperature switch on the vehicle										
	Temperature sensor										
	M4 fastening thread, closes at 40 °C										
	Flat spring contact										
	1.5 ... 2.5, 2.8 mm, with seals and plugs, bag of 10 pieces										
	Micro Quadlok System socket contact										
	0.75, 2.8 mm, for 6-pin watertight plug sleeve casing, bag of 10 pieces										
	Tab connector housing										
	1, 0.5 mm, 2-pin, watertight, bag of 5 pieces										
	Plug sleeve casing										
	E.g. for fuel pump or extensions, watertight, bag of 5 pieces										
	Tab connector										
	1 ... 2.5, 0.5 mm, for watertight plug connections, with seals and plugs, bag of 2 pieces										
	Junior power timer										
	1 ... 1, 0.5 mm, also for blade-type plug, watertight, bag of 10 pieces										
	Relay (changeover contact) kit										
	12 V, 30 / 50 A, plastic case, black, with connector housing and flat fuses, contains 1 relay base and 1 tab receptacle										







Electrical Accessories

	Air Top 2000 5TC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number
											1320947A
											1319954A
											1320214A
											1320538A
											1320540A
			■	■							1322640A
			■	■							9013645A
											1320229A
											9006460A








Electrical Accessories

	Air Top 2000 5TC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number
											1319698A
											1320230A
											1321698A
											1319699A
											1321670A
											1320231A
											1321669A
											9011636A
											9011652A
											9011641A
											1320228A
											9014955A
											9011640A
			■	■							9011968A
			■								9021719A


Electrical Accessories

	Air Top 2000 5TC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number
 Programming wiring harness Wiring harness for programming with PC diagnostic kit			■	■	■	■					1319879B
 Blocking diode 3 A, with connection cables											1320826A
 Resistor kit W = 46, H = 20, 40 W, 0.9 Ω, with plugs and fastening parts											97981A
 Adapter wiring harness For Thermo Top C coolant pump			■								1320279A
 Thermo Top C dummy plug If coolant pump is omitted, with resistor			■								1319667A
 Thermo Top C wiring harness extension Extension for standard wiring harness			■	■							1319720A
Plug kit For fuel pump 42, replacement for 2-pin plug on the fuel pump wiring harness, with connection materials and assembly instructions			■	■	■	■					1318966A
Kit for Thermo Pro 50 Eco plug Replacement for 10-pin plug on standard wiring harness, with connection materials				■							9029701A
Replacement for 2-pin plug on the standard wiring harness, with connection materials				■							9029702A
Replacement for 4-pin plug on standard wiring harness, with connection materials				■							9029703A
Thermo Top Evo plug kit Replacement for 2- and 6-pin plugs on standard wiring harness, with connection materials					■						1319023A
Extension cable control panel Air Top Standard/MC L = 1,800			■								1319724A
Kit Dual Top wiring harness old to new										■	1320837A

Test Equipment

	Air Top 2000 5TC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
 PC Diagnosis Kit For Windows operating system, USB and serial port	■	■	■	■	■	■	■	■	■	1320920A
 Adapter cable, PC diagnosis Also for upgrade kit (digital timer 1533 or Telestart)		■	■	■	■	■				1319503A
 Adapter cable, PC diagnosis			■							1319943A
 Adapter cable, PC diagnosis		■								1319940A
 Adapter cable, PC diagnosis							■			1320899A
 Adapter cable, PC diagnosis Thermo 230/300/350 (Van Hool)								■		1319945A
 Adapter cable, PC diagnosis Thermo 230/300/350 (Mercedes / Citaro)								■		1319685A

Special tools

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number	
	Adjusting tool										
	For ignition electrodes									1320998A	
Locking compound											
20 ml, red, for nuts and bolts											1320535A

Webasto subsidiaries and representatives

Head Office

Webasto Thermo & Comfort SE

Friedrichshafener Straße 9
82205 Gilching
Tel.: +49 89 85794-0
www.webasto.com

Argentina

Friba Tecnologia S.A.

Av. Pavón 4080/84
C1253AAY Buenos Aires
Tel.: (54-11) 4924-2117
www.friba.com.ar

Australia

Webasto Thermo & Comfort

Australia Pty. Ltd.
423-427 The Boulevard
NSW 2232 Kirrawee
Tel.: +61 2 85364800
www.webasto.com.au

Belarus

Falkat GmbH

Ul. Drozda 8
220004 Minsk
Tel.: +375 17 2001894
www.falkat.com

Benelux

Webasto Thermo & Comfort

Benelux B.V.
Constructieweg 47
8263 BC Kampen
Tel.: +31 38 3371137
www.webasto.nl

Brasil

Webasto Thermo & Comfort – LATAM

Av. Padre Manoel da Nóbrega,
355 – A31 – Campinas – SP
13061 – 140 – Brasil
Tel.: +55 19 9 9504 5151
www.webasto.com/br

Bulgaria

Rhea MP GmbH

ul. Boris Iliev 17
1839 Sofia
Tel.: +359 2 9420555
www.rheamp.com

Chile

Webasto Thermo & Comfort - LATAM

Hermanos Cabot 6707 - Dpt. 126
Las Condes – Santiago de Chile
7561255 – Chile
+34 91 626 8618 (HQ)
www.webasto.es

Carlos Becker y Cia. Ltda.

Avda. Luis Thayer Ojeda 166, Of. 907
7510017 Providencia Santiago de Chile
Tel.: +56 2 2344311
www.beckercia.cl

China

Webasto Thermo & Comfort

Beijing Co. Ltd.

A 2103. Tower 2. Boya International
1 Lize Zhongyi Road
Chaoyang District
100102 Beijing
Tel.: +86 10 84782320
www.parkingheater.cn

Denmark

Webasto Thermo & Comfort

Denmark A/S
Islevdalvej 180
2610 Rødovre/Copenhagen
Tel.: +45 44522000
www.webasto.dk

Germany

Webasto Thermo & Comfort SE

Postfach 1410
82199 Gilching
Tel.: +49 (0) 395 5592-229
www.webasto.de

Estonia

AS KG KNUTSSON

Saeveski 12
11214 Tallinn
Tel.: +372 6 519300
www.kgk.ee

Finland

Oy Kaha AB

Ansatie 2
1740 Vantaa
Tel.: +358 9 61568379
www.kaha.fi

France

Webasto Thermo & Comfort

France S.A.S.

PA Estuaire Sud
Rue du Camp d'Aviation
44320 Saint Viaud
Tel.: +33 (0)2.40.21.85.50
www.webasto-france.fr

Greece –

via Webasto Head Office

Webasto Thermo & Comfort SE

Friedrichshafener Straße 9
82205 Gilching
Tel.: +49 89 85794-0
www.webasto.com

Great Britain

Webasto Thermo & Comfort UK Ltd.

Webasto House
White Rose Way
Doncaster
South Yorkshire DN4 5JH
Tel.: +44 (0) 1302 322232
www.webasto.co.uk

India

Webasto Roofsystems India Ltd.

Ghat 838/1, Pune Nagar Road
District: Sanaswadi
412208 Pune
www.webasto.com

Webasto subsidiaries and representatives

Iceland

Bilasmidurinn hf.
Bildshofda 16
110 Reykjavik
Tel.: +354 5657233
www.bilasmidurinn.is

Italy

Webasto Thermo & Comfort Italy S.r.L.
Via Efreml Nobile 2
CAP 40062 Molinella (BO)
Tel.: +39 051 6906 111
www.webasto.it

Japan

Webasto Thermo & Comfort Japan Co., Ltd.
3-19-5 Shin-Yokohama Kohoku-ku
Yokohama, Kanagawa Prefecture
222-0033 Japan
Tel.: +81 45 4741761
www.webasto.co.jp

Kazakhstan – via Webasto Russia

Webasto Rus OOO
Altajskaja ul. 19, 1/a
107065 Moscow
Tel.: +74 95 7770245
www.webasto.ru

Latvia

SIA KG Knutsson
K. Ulmana gatve 2
1004 Riga
Tel.: +371 780 7873

Lithuania

UAB KG Knutsson
Jocioniu g 14
Vilnius. LT - 02300
Tel.: +370 2758181
www.kgk.lt

Moldavia – via Webasto Romania

Webasto Romania Trading S.R.L.
Sos Odai, nr.40
075100 Otopeni, Ilfov
Tel.: +40 21 2032751
www.webasto.ro

Mongolia

MSM Group LLC
MSM Building, Chinggis avenue – 62
Industry Zone 17070
3rd Khoroo
Khan-Uul District
CPO Box 154 Ulaanbaatar
Tel. +976 7014 8138

Netherlands

Webasto Thermo & Comfort Benelux B.V.
Constructieweg 47
8263 BC Kampen
Tel.: +31 38 3371137
www.webasto.nl

Norway

Webasto Thermo & Comfort Norwegen
Industriveien 34A
2072 Dal
Tel.: +47 61162000
www.webasto.no

Austria

Webasto Fahrzeugtechnik G.m.b.H.
Jochen-Rindt-Straße 19
1230 Vienna
Tel.: +43 (1) 6043780
www.webasto.at

Poland

Webasto Petemar Sp. z.o.o.
ul. Warszawska 205/219
05-092 Lomianki
Tel.: +48 22 7327320
www.webasto.pl

Romania

Webasto Romania Trading S.R.L.
Sos Odai, nr.40
075100 Otopeni, Ilfov
Tel.: +40 21 2032751
www.webasto.ro

Russia

Webasto Rus OOO
Altajskaja ul. 19, 1/a
107065 Moscow
Tel.: +74 95 7770245
www.webasto.ru

Sweden

KG Knutsson AB
Hammarbacken 8
19181 Sollentuna. Stockholm
Tel.: +46 8 923000
www.kgk.se

Switzerland

Webasto Thermo & Comfort Schweiz AG
Hagmattstrasse 4
CH 4123 Allschwil
Tel.: +41 61 4869580
www.webasto.ch

Slovakia

Webasto Thermo & Comfort Slovakia s.r.o.
Galgovecká ulica 3
Rozvojova 3 SK - 040 11 Košice
Tel.: +421 5 57871000
www.webasto.sk

Webasto subsidiaries and representatives

Slovenia

Webasto Thermo & Comfort avtomobilna tehnika d.o.o.
Cesta v Gorice 34
1000 Ljubljana
Tel.: +386 1 2008712
www.webasto.si

Spain

Webasto Thermo & Comfort Ibérica S.L.U.
C/Mar Tirreno 33
Polígono Industrial
28830 San Fernando de Henares (Madrid)
Tel.: +34 91 626 86 11
www.webasto.es

South Korea

Webasto Korea Inc.
40 Imi-ro, Bldg. B, Suite 612
16006 Uiwang-si, Gyeonggi-do
Tel.: +82 31 80170241

Czech Republic

Webasto Thermo & Comfort Czech Republic s.r.o.
Na Strži 1373
Praha 4
Tel.: +420 241045450-7
www.webasto.cz

Turkey

Webasto Thermo Comfort İklimlendirme Sistemleri Ltd. Sti,
Manisa Organize Sanayi Boelgesi 4. Kısım
Ahmet Nazif Zorlu Bulvarı No: 8
45030 Merkez/Manisa
Tel.: +90 236 226 90 00
www.webasto.com.tr

Ukraine


Webasto Thermo & Comfort Ukraina Tz
Chervonopraporna str. 28
03045 Kiev
Tel.: +380 (044) 503-31-76
www.webasto.com/ua

Hungary

Webasto Thermo & Comfort Hungária Kft.
Szent László út 73
1135 Budapest
Tel.: +36 1 3502338
www.webasto.hu

USA

Webasto Thermo & Comfort North America Inc.
15083 North Road
48430 Fenton. Michigan
Tel.: +1 810 5936100
www.webasto.us



For more than 75 years, the Webasto group has continued to set new technological standards – in both the original equipment sector and the aftermarket. As one of the 100 biggest suppliers in the automotive industry worldwide, we develop and produce roof, convertible as well as heating, cooling and ventilation systems. Our products help provide a better atmosphere on the road, more comfort and security, as well as increased efficiency for cars, commercial and special vehicles, motor homes and boats. An outstanding network of production facilities and dealers guarantees high-quality products, installation standards and services worldwide.